

List of air-shower radio-emission related articles

1. A Macroscopic Description of Coherent Geo-Magnetic Radiation from Cosmic Ray Air Showers.
O. Scholten, K. Werner, and F. Rusydi, *Astropart. Phys.* **29**, 94 (2008)
2. Macroscopic Treatment of Radio Emission from Cosmic Ray Air Showers based on Shower Simulations.
Klaus Werner and Olaf Scholten, *Astropart. Phys.* **29**, 393-411 (2008); arXiv:0712.2517.
3. Macroscopic model of geomagnetic radiation from air showers.
O. Scholten and K. Werner, *Nucl. Instr. and Meth. A* **604**, S24 (2009); arXiv:0808.1959
4. Air Shower Measurements with LOFAR.
A. Horneffer, *et al.*(O. Scholten) , *Nucl. Instr. and Meth. A* **604**, S20 (2009); arXiv:0903.2398.
5. LOFAR - A new experiment to record radio emission from cosmic particles.
J.R. Hörandel, *et al.*(O. Scholten), *Nucl. Phys.* **B196**, 289 (2009)
6. The lateral distribution function of coherent radio emission from extensive air showers: Determining the chemical composition of cosmic rays.
K.D. de Vries, *et al.*(O. Scholten), *Astropart. Phys.* **34**, 267 (2010)
7. Cosmic ray and neutrino measurements with LOFAR.
A. Horneffer, *et al.*(O. Scholten), *Nucl. Instr. and Meth. A* **617**, 482 (2010)
8. Coherent Cherenkov Radiation from Cosmic-Ray-Induced Air Showers.
K. D. de Vries, A. M. van den Berg, O. Scholten, and K. Werner, *Phys. Rev. Lett* **107**, 061101 (2011)
9. Coherent radiation from extensive air showers.
Olaf Scholten, Krijn D. de Vries, Klaus Werner, *Nucl. Instr. and Meth. A* **662**, S80 (2012)
10. The convergence of EAS radio emission models and a detailed comparison of REAS3 and MGMR simulations.
T. Huege, M. Ludwig, O. Scholten, K.D. de Vries, *Nucl. Instr. and Meth. A* **662**, S179 (2012)
11. Macroscopic geo-magnetic radiation model; polarization effects and finite volume calculations.
Krijn D. de Vries, Olaf Scholten, Klaus Werner, *Nucl. Instr. and Meth. A* **662**, S175 (2012)
12. Results of a self-triggered prototype system for radio-detection of extensive air showers at the Pierre Auger Observatory.
P. Abreu *et al.*(The Pierre Auger Collaboration) [O. Scholten], *J. Instr.* **7**, P11023 (2013); arXiv:1211.0572
13. Antennas for the Detection of Radio Emission Pulses from Cosmic-Ray.
P. Abreu *et al.*(The Pierre Auger Collaboration) [O. Scholten], *J. Instr.* **7**, P10011 (2012); arXiv:1209.3840
14. What the radio signal tells about the cosmic-ray air shower.
Olaf Scholten, Krijn D. de Vries, Klaus Werner, *EPJ Web of Conf.* **53**, 08005 (2013); arXiv:1207.1874
15. A Realistic Treatment of Geomagnetic Cherenkov Radiation from Cosmic Ray Air Showers.
Klaus Werner, Krijn D. De Vries, Olaf Scholten, *Astropart. Phys.* **37**, 5-16 (2012); arXiv:1201.4471
16. An air shower array for LOFAR: LORA.
S. Thoudam *et al.*(The LOFAR-CR Collaboration) [O. Scholten], *Astrophys. Space Sci. Trans.* **7**, 195-199 (2011); arXiv:1102.0946

17. Detecting Radio Emission from Air Showers with LOFAR.
Anna Nelles *et al.*(The LOFAR Collaboration) [O. Scholten], AIP Conf. Proc., **1535**, 105 (2013); arXiv:1304.0976
18. The EVA code; macroscopic modeling of radio emission from air showers based on full MC simulations including a realistic index of refraction.
Krijn D. de Vries, Olaf Scholten and Klaus Werner , AIP Conf. Proc., **1535**, 133 (2013); arXiv:1304.0976
19. First results from EVA simulations; Cherenkov effects and the composition of the initial cosmic ray.
Krijn D. de Vries, Olaf Scholten and Klaus Werner , AIP Conf. Proc., **1535**, 138 (2013); arXiv:1304.0976
20. The air shower maximum probed by Cherenkov effects from radio emission.
Krijn D. de Vries, Olaf Scholten, Klaus Werner, Astropart. Phys. **45**, 23-27 (2013); arXiv:1304.1321
21. Detecting cosmic rays with the LOFAR radio telescope.
P. Schellart *et al.*(The LOFAR Collaboration) [O. Scholten], Astron. & Astrophys. **560**, A98 (2013), arXiv:1311.1399
22. Measuring a Cherenkov ring in the radio emission from air showers at 110 - 190 MHz with LOFAR.
A. Nelles, *et al.*[O. Scholten], Astropart. Phys. **65**, 11 (2014); arXiv:1411.6865
23. Method for high precision reconstruction of air shower X_{max} using two-dimensional radio intensity profiles.
S. Buitink, *et al.*[O. Scholten], Phys. Rev. D **90**, 082003 (2014); arXiv:1408.7001
24. LORA: A scintillator array for LOFAR to measure extensive air showers.
S. Thoudam, *et al.*[O. Scholten], Nucl. Instr. and Meth. A **767**, 339 (2014); arXiv:1408.4469
25. Polarized radio emission from extensive air showers measured with LOFAR.
P. Schellart, *et al.*[O. Scholten], J. Cosm. and Astrop. Phys. **1410**, 014 (2014); arXiv:1406.1355
26. Recent results from cosmic-ray measurements with LOFAR.
P. Schellart, *et al.*[O. Scholten], Nucl. Instr. and Meth. A **742**, 115 (2014)
27. Probing the radio emission from air showers with polarization measurements.
A. Aab, *et al.*(The Pierre Auger Collaboration) [O. Scholten], Phys. Rev. D **89**, 052002 (2014); arXiv:1402.3677
28. The radio emission pattern of air showers as measured with LOFAR - a tool for the reconstruction of the energy and the shower maximum.
A. Nelles, *et al.*[O. Scholten], J. Cosm. and Astrop. Phys. **1505**, 018 (2015); arXiv:1411.7868
29. The shape of the radio wavefront of extensive air showers as measured with LOFAR.
A. Corstanje, *et al.*[O. Scholten], Astropart. Phys. **61**, 22 (2015); arXiv:1404.3907
30. A new way of air shower detection: measuring the properties of cosmic rays with LOFAR.
A. Nelles, *et al.*[O. Scholten], J. Phys.: Conf. Ser. **632**, 012018 (2015)
31. Probing Atmospheric Electric Fields in Thunderstorms through Radio Emission from Cosmic-Ray-Induced Air Showers.
P. Schellart, *et al.*[O. Scholten], Phys. Rev. Lett **114**, 165001 (2015); arXiv:arXiv:1504.05742
32. Calibrating the absolute amplitude scale for air showers measured at LOFAR.
A. Nelles *et al.*[O. Scholten], J. Instr. **10**, P11005 (2015); arXiv:1507.08932
33. Energy Estimation of Cosmic Rays with the Engineering Radio Array of the Pierre Auger Observatory.
Alexander Aab (Siegen U.) *et al.*[O. Scholten], Phys. Rev. D **93**, 122005 (2016); arXiv:1508.04267

34. Search for correlations between the arrival directions of IceCube neutrino events and ultrahigh-energy cosmic rays detected by the Pierre Auger Observatory and the Telescope Array
IceCube and Pierre Auger and Telescope Array Collaborations (M.G. Aartsen *et al.*[O. Scholten]), *J. Cosm. and Astrop. Phys.* **01**, 037 (2016); arXiv:1511.09408
35. Influence of Atmospheric Electric Fields on the Radio Emission from Extensive Air Showers
T.N.G. Trinh. *et al.*[O. Scholten], *Phys. Rev. D* **93**, 023003 (2016); arXiv:1511.03045
36. Measurement of the cosmic-ray energy spectrum above 10^{16} eV with the LOFAR Radboud Air Shower Array
S. Thoudam, *et al.*[O. Scholten], *Astropart. Phys.* **73**, 34 (2016); arXiv:1506.09134
37. Measurement of the circular polarization in radio emission from extensive air showers confirms emission mechanisms
O. Scholten, *et al.*, *Phys. Rev. D* **94**, 103010 (2016); arXiv:1611.00758
38. Timing calibration and spectral cleaning of LOFAR time series data
A. Corstanje, *et al.*[O. Scholten], *Astron. & Astrophys.* **590**, A41 (2016); arXiv:1603.08354
39. A large light-mass component of cosmic rays at $10^{17}10^{17.5}$ electronvolts from radio observations
S. Buitink, *et al.*[O. Scholten], *Nature* **531**, 70 (2016), corrigendum **537**, 572 (2016); arXiv:1603.01594
40. Measurement of the Radiation Energy in the Radio Signal of Extensive Air Showers as a Universal Estimator of Cosmic-Ray Energy
A. Aab, *et al.*(The Pierre Auger Collaboration) [O. Scholten], *Phys. Rev. Lett* **116**, 241101 (2016)
41. Nanosecond-level time synchronization of autonomous radio detector stations for extensive air showers
A. Aab, *et al.*(The Pierre Auger Collaboration) [O. Scholten], *J. Instr.* **11**, 01018 (2016)
42. Cosmic Ray Mass Measurements with LOFAR
Stijn Buitink, *et al.*[O. Scholten], to be published, EPJ-WoC 01009, in proceedings ARENA 2016
43. A Study of radio frequency spectrum emitted by high energy air showers with LOFAR
Laura Rossetto, *et al.*[O. Scholten], to be published, EPJ-WoC 01010, in proceedings ARENA 2016
44. Towards real-time identification of cosmic rays with LOw-Frequency ARray radio antennas
Antonio Bonardi, *et al.*[O. Scholten], to be published, EPJ-WoC 01011, in proceedings ARENA 2016
45. The influence of the atmospheric refractive index on radio Xmax measurements of air showers
Arthur Corstanje, *et al.*[O. Scholten], to be published, EPJ-WoC 01012, in proceedings ARENA 2016
46. Ultimate precision in cosmic-ray radio detection — the SKA
T. Huege, *et al.*[O. Scholten], to be published, EPJ-WoC 02003; arXiv:1608.08869, in proceedings ARENA 2016
47. Circular polarization of radio emission from air showers in thundercloud conditions
T.N.G.Trinh, *et al.*[O. Scholten], to be published, EPJ-WoC 03002, in proceedings ARENA 2016
48. Analytic Calculation of Radio Emission from Extensive Air Showers subjected to Atmospheric Electric Fields
O. Scholten, G. Trinh, K.D. de Vries, L. van Sloten, to be published, EPJ-WoC 03004; arXiv:1611.06412, in proceedings ARENA 2016
49. Precision study of radio emission from air showers at LOFAR
O. Scholten, *et al.*, to be published, EPJ-WoC, in proceedings RICAP 2016

50. The mass composition of cosmic rays measured with LOFAR
J.R. Hrandel, *et al.*[O. Scholten], to be published, in proceedings RICAP 2016
51. Measurement of cosmic rays with LOFAR
L. Rossetto, *et al.*[O. Scholten], J. Phys.: Conf. Ser. **718**, 052035 (2016), in proceedings TAUP 2015
52. Probing atmospheric electric fields in thunderstorms through radio emission from extensive air showers
G. Trinh, *et al.*[O. Scholten], PoS ICRC2015 (2016) 284, in proceedings ICRC 2015
53. The cosmic-ray energy spectrum above 10^{16} eV measured with the LOFAR Radboud Air Shower Array
S. Thoudam, *et al.*[O. Scholten], PoS ICRC2015 (2016) 327, in proceedings ICRC 2015
54. A lateral distribution function for the radio emission of air showers
A. Nelles, *et al.*[O. Scholten], PoS ICRC2015 (2016) 376, in proceedings ICRC 2015
55. A study of radio frequency spectrum emitted by high energy air showers with LOFAR
L. Rossetto, *et al.*[O. Scholten], PoS ICRC2015 (2016) 381, in proceedings ICRC 2015
56. A study of the energy spectrum and composition of cosmic rays up to 10^{18} eV
S. Thoudam, *et al.*[O. Scholten], PoS ICRC2015 (2016) 526, in proceedings ICRC 2015
57. Calibration of the LOFAR antennas
J.R. Hrandel, *et al.*[O. Scholten], PoS ICRC2015 (2016) 662, in proceedings ICRC 2015